ALFASEAL® GROUP	**SAFETY DATA SHEET**	**Revision date: 15.05.2026** **VERSION: 2.0/EN**
INTU FR COAT I		
In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) **2020/878**		

1 SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

INTU FR COAT I

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Fire retardant paint.

Uses advised against: Uses other than those identified above.

1.3 Details of the supplier of the safety data sheet

Alfaseal Group
Ul. Kineskopowa 1,
05-500 Piaseczno, Poland
Telephone: +48 22 354 69 64
E-mail of the responsible person for the safety data sheet: sekretariat@alfaseal.pl

1.4 Emergency telephone number

112 (emergency telephone number). 998 (Fire Brigade), 999 (Medical Rescue Service).

2 SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Physical and chemical hazards:
The mixture is not classified as posing a hazard based on its physicochemical properties.

Health hazards
The mixture is not classified as posing a health hazard.

Environmental hazards:
Hazardous to the aquatic environment - Chronic Hazard, Category 3 [Aquatic Chronic 3]
Harmful to aquatic life with long lasting effects. (H412)

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Pictogram
Not applicable.

Signal word:
Not applicable.

Hazard statement(s)
H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)
General:
P102 Keep out of reach of children.
Prevention:
P273 Avoid release to the environment.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
Disposal:
P501 Dispose of contents/container to special waste collection point.

Supplemental Hazard statement Code(s):

EUH208 Contains: 1,2-benzisothiazol-3(2H)-one; Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

PBT/vPvB assessment:

This substance/mixture contains no components considered to be either persistent,bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

3 SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances:

Not applicable.

3.2 Mixtures:

Substance identifier	Name of the substance	Weight fraction %	Classification in line with The Regulation (EC) No. 1272/2008		
			Signal Word Code(s)	Hazard Class and Category Code(s)	Hazard Statement Code(s)
CAS No: 7779-90-0 EC No: 231-944-3 Index No: 030-011-00-6 REACH-Reg No: 01-2119485044-40-xxxx	Trizinc bis(orthophosphate)	1<x<2	GHS09 Wng	Aquatic Acute 1 M=1 Aquatic Chronic 1 M=1	H400 H410
CAS No: 532-32-1 EC No: 208-534-8 Index No: REACH-Reg No: 01-2119460683-35-xxxx	Sodium benzoate [1]	0.5<x<1	GHS07 Wng	Eye Irrit.2	H319
CAS No: 2634-33-5 EC No: 220-120-9 Index No: 613-088-00-6 REACH-Reg No: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one	<0.02	GHS06 GHS05 GHS09 Dgr	Acute Tox. 2 Acute Tox. 4 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 A Aquatic Acute 1 M=1 Aquatic Chronic 1 M=1 **Specific Conc. Limits:** Skin Sens. 1A; H317: C ≥0.036% inhalation: ATE = 0.21 mg/L (dusts or mists) oral: ATE = 450 mg/kg bw (-)	H330 H302 H315 H318 H317 H400 H410
CAS No: 55965-84-9 EC No: Index No: 613-167-00-5 REACH-Reg No:	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [1]	< 0.0005	GHS06 GHS05 GHS09 Dgr	Acute Tox. 2 Acute Tox. 2 Acute Tox. 3 Skin Corr. 1C Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 M=100	H330 H310 H301 H314 H318 H317 H400

				Aquatic Chronic 1 M=100 **Specific Conc. Limits:** Skin Corr. 1C; H314: C ≥0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 %	H410 EUH071

Legend:
[1] The substance with an occupational exposure limit defined at the national level.

Full H phrases are specified in point 16 hereof.

4 SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled: Remove the victim to fresh air. Keep warm and calm. Perform artificial respiration or give oxygen if needed. Consult a doctor, if disturbing symptoms occur.

In case of skin contact: In case of skin contact with the product, remove contaminated clothing and rinse the skin thoroughly with soap and water. Contact a doctor if alarming symptoms occur.

In case of eye contact: In contact with the eyes, this product is usually not harmful. If the product comes into contact with the eyes, flush them thoroughly with water for 10-15 minutes, keeping the eyelids open. Protect the unaffected eye and remove contact lenses if they are worn. Contact an eye doctor (ophthalmologist) if necessary.

If swallowed: In case of accidental ingestion, do not induce vomiting. Rinse the mouth with water, then drink a large amount of water. Never give anything by mouth to an unconscious person. Contact a doctor and show them the packaging or label of the product.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in Section 2.2 (label elements) and/or in Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Treat symptomatically.

5 SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media:
Carbon dioxide, extinguishing powder, extinguishing foam, water spray.
Unsuitable extinguishing media:
Water jet – risk of fire propagation.

5.2 Special hazards arising from the substance or mixture

During combustion, hazardous gases may be formed, including carbon oxides, nitrogen oxides and other unidentified thermal decomposition products. Decomposition products may be irritating or toxic. Avoid inhalation of combustion products.

5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Do not let extinguishing water to reach drainage system, surface water and groundwater. Collect used extinguishing media.

6 SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with eyes and skin. Remove non-involved personnel from the hazard area. Ensure adequate ventilation.

For emergency responders

Use appropriate personal protective equipment in accordance with Section 8. Avoid direct contact with the product. Secure the area and contain the spread of the product.

6.2 Environmental precautions

Emergency responders should use appropriate personal protective equipment in accordance with Section 8. Avoid direct contact with the product. Secure the area and contain the spread of the product.

6.3 Methods and material for containment and cleaning up

Contain and collect the spilled product using suitable absorbent materials (e.g. sand, diatomaceous earth, universal binders). Place contaminated material in appropriate, labelled containers for disposal in accordance with applicable regulations. Prevent entry into drains, surface water and soil. After removal, rinse the affected area with water.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

7 SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Handle in accordance with good industrial hygiene practice. Ensure adequate ventilation during use. Do not inhale vapours or aerosols. Wash hands after handling. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in a dry and well-ventilated place. Protect from high temperatures and direct sunlight. Keep away from food, drink and feed. Avoid contact with strong oxidising agents.

7.3 Specific end use(s)

No information about uses other than mentioned in subsection 1.2.

8 SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1 Control parameters

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), CIT/MIT (CAS Nos. 55965-84-9; 26172-55-4; 2682-20-4)

Austria: TWA 0.05 mg/m³.

Germany (DFG): TWA 0.2 mg/m³ (inhalable fraction). STEL 0.4 mg/m³ (15-minute average).

Poland: TWA 0.2 mg/m³ (skin). STEL 0.4 mg/m³ (15-minute average).

South Korea: TWA 0.1 mg/m³ (inhalable fraction).

Switzerland: TWA 0.2 mg/m³. STEL 0.4 mg/m³.

Sodium benzoate (CAS 532-32-1) – expressed as benzoate

Germany (AGS):

TWA: 10 mg/m³

STEL: 20 mg/m³

Additional information:

The limit values apply to the inhalable fraction (as benzoate).

Recommended control procedures

Procedures concerning the control over the dangerous components concentrations in the air and control over the air quality in the workplace – if they are available and justified for the position – in accordance with the European

Standards, with the conditions within the exposure place and a proper test methodology adapted to the working conditions.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure adequate general ventilation. Where ventilation is insufficient, use local exhaust ventilation.

8.2.2 Individual protection measures, such as personal protective equipment

Hand and body protection

Use gloves resistant to the product (e.g. made from butyl rubber).

In the case of short-term contact use protective gloves on the level of effectiveness of 2 or higher (breakthrough time > 30 min.). In the case of long term contact use protectivegloves on the level of effectiveness 6 (breakthrough time > 480 min.).

When using protective gloves during work with chemical products, it should be noted that the efficacy levels and corresponding breakthrough times do not indicate actual times of protection at a particular workplace, because the protection can be affected by many factors, e.g. temperature, other substances etc. If there are any signs of degradation, damage or change in appearance (colour, flexibility, shape), it is recommended to replace the gloves with a new pair. Please follow the manufacturer's instructions, not only in terms of gloves' usage, but also in terms of their cleaning, maintenance and storage. It is also important to know how to take off the gloves in order to avoid hands contamination.

Eye/face protection:

Use tightly fitting protective glasses or face protection if risk assessment indicates that it is necessary (EN 166).

Respiratory protection :

Respiratory protective equipment should only be required for work in extreme conditions. In the event of such occurrences, consult the manufacturer of such equipment. A dust filter IIb (P2) may be required.

8.2.3 Environmental exposure controls

Avoid environment contamination, do not empty into drains. Possible emissions from the ventilation systems and processing equipment should be controlled in order to determinate their compatibility with environmental protection regulations.

9 SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state:	Viscous liquid.
Colour:	Dark graphite.
Odour:	Odorless or slightly acetic.
Melting point/freezing point:	149-165 ºC
Boiling point or initial boiling point and boiling range:	Data not available.
Flammability:	Data not available.
Lower and upper explosion limit:	Data not available.
Flash point:	Data not available.
Auto-ignition temperature:	Data not available.
Decomposition temperature:	Data not available.
pH:	Data not available
Kinematic viscosity:	Data not available.
Dynamic viscosity:	16100 mPas
Solubility:	Data not available.
Partition coefficient n-octanol/water (log value):	Data not available.
Vapour pressure:	Data not available.
Density and/or relative density:	1,19 g/cm^3
Relative vapour density:	Data not available.

Particle characteristics: Not applicable [liquid]

9.2 Other information

9.2.1 **Information with regard to physical hazard classes**

No additional test results.

9.2.2 **Other safety characteristics**

No additional test results.

10 SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Stable under recommended storage and usage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

Avoid high temperatures and direct sunlight.

10.5 Incompatible materials

Strong acids. Strong bases.

10.6 Hazardous decomposition products

In case of fire or thermal decomposition, carbon oxides, nitrogen oxides and other unidentified decomposition products may be formed.

11 SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

1,2-benzisothiazol-3(2H)-one

inhalation: ATE = 0.21 mg/L (dusts or mists)

oral: ATE = 450 mg/kg bw (-)

Acute Toxicity:

ATE $_{MIX}$ oral (mg/kg): >2000 Based on available data, classification criteria are not met.

ATE $_{MIX}$ dermal (mg/kg):>2000 Based on available data, classification criteria are not met.

ATE $_{MIX}$ inhalation (mg/l/4h): >20 Based on available data, classification criteria are not met.

*ATEmix value was calculated using relevant converted acute toxicity point estimate included in 3.1.2 table from Regulation 1272/2008/EC.

Skin corrosion/irritation:

Based on available information, classification criteria are not met.

Serious eye damage/irritation:

Based on available information, classification criteria are not met.

Respiratory or skin sensitisation

EUH208 Contains: 1,2-benzisothiazol-3(2H)-one; Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Germ cell mutagenicity

Based on available information, classification criteria are not met.

Carcinogenicity

Based on available information, classification criteria are not met.

Reproductive toxicity

Based on available information, classification criteria are not met.

STOT-single exposure:

Based on available information, classification criteria are not met.

STOT-repeated exposure:
Based on available information, classification criteria are not met.
Aspiration hazard
Based on available information, classification criteria are not met.

11.2 Information on other hazards

11.2.1 **Endocrine disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59 (1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

11.2.2 **Other information**

No data.

12 SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity of ingredients

Trizinc bis(orthophosphate)
EC50 Daphnia 1 0.04 - 0.86 mg/l (48 h; Daphnia magna; Nominal concentration of Zn2+/L).
EC50 Other Aquatic Organisms 1 0.136 - 0.15 mg/l (72 h; algae - Selenastrum capricornutum; Nominal concentration of Zn2+/L).
Algae Toxicity Threshold 1 0.136 mg/l (72 h; Selenastrum capricornutum; GLP).
Algae Toxicity Threshold 2 0.024 mg/l (3 days; Selenastrum capricornutum; GLP).

Product toxicity

Harmful to aquatic life with long lasting effects.
In order to minimise long-term global pollution, this should be considered:

- Reducing the use of products and disposable packaging.
- Participation in recycling activities.
- Do not allow product to enter water, sewage or soil.

12.2 Persistence and degradability

For mixtures not specified.

12.3 Bioaccumulative potential

For mixtures not specified.

12.4 Mobility in soil

The mobility of the substance depends on their hydrophilic and hydrophobic properties and abiotic and biotic conditions of soil, including its structures, climatic conditions, seasons and soil organisms, mainly (bacteria, fungi, algae, invertebrates).

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Endocrine disrupting properties

The product does not contain endocrine disrupting substances at concentrations ≥ 0.1 %.

12.7 Other adverse effects

No known significant effects.

13 SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product:

Dispose of product waste in accordance with applicable national regulations. Do not discharge into drains. Deliver to

an authorised waste contractor. The waste code should be assigned at the place of waste generation, depending on the use of the product.

Packaging:

Contaminated packaging should be treated as product waste. Empty packaging should be recycled or disposed of in accordance with applicable regulations.

Legal basis: Directive 2008/98/EC, 94/62/EC.

14 SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number

The product is not subject to the regulations concerning the transport of dangerous goods contained in ADR (road transport), RID (rail transport), IMDG (marine transport), ICAO/IATA (air transport).

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

None (non-environmentally hazardous acc. to the dangerous goods regulations).

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

15 SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other legislation:

13. Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
14. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council.
15. Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents *(applicable during the transitional period)*.
16. Regulation (EU) 2026/405 of the European Parliament and of the Council of 11 February 2026 on detergents and surfactants and repealing Regulation (EC) No 648/2004.
17. Regulation (EC) No 1013/2006 of the European Parliament and of the Council of 14 June 2006 on shipments of waste.
18. Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.
19. Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.
20. Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

21. Regulation (EU) 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.
22. Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.
23. Directive 94/62/EC of the European Parliament and of the Council of 20 December 1994 on packaging and packaging waste.
24. Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.
25. Directive 2012/19/EU of the European Parliament and of the Council of 4 July 2012 on waste electrical and electronic equipment.
26. Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC.
27. Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.
28. Directive 2012/19/EU of the European Parliament and of the Council of 4 July 2012 on waste electrical and electronic equipment.
29. Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC.

15.2 Chemical safety assessment

The supplier has not assessed chemical safety It is not required for the mixture.

16 SECTION 16: OTHER INFORMATION

Classification and procedure used to classify the mixture in accordance with Regulation (EC) 1272/2008 [CLP]	
Aquatic Chronic 3	H412 calculation method

H (hazard) phrases specified in point 2 and 3 hereof:

H412	Harmful to aquatic life with long lasting effects.
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3.
H318	Causes serious eye damage
Eye Dam 1	Serious eye damage/eye irritation, Hazard Category 1.
H319	Causes serious eye irritation
Eye Irrit. 2	Serious eye damage/eye irritation, Hazard Category 2.
H330	Fatal if inhaled.
Acute Tox2	Acute toxicity (inhal.), Hazard Category 1, 2.
H314	Causes severe skin burns and eye damage.
Skin Corr. 1A /B/C	Skin corrosion/irritation, Hazard Category 1, Sub-Categories 1A, 1B, 1C
H302	Harmful if swallowed.
Acute Tox 4	Acute toxicity (oral), Hazard Category 4
H317	May cause an allergic skin reaction
Skin Sens. 1	Sensitisation- Skin, hazard category 1, 1A, 1B
H400	Very toxic to aquatic life.
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1.
H410	Very toxic to aquatic life with long lasting effects.
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
H310	Fatal in contact with skin.
Acute Tox 1,2	Acute toxicity (dermal), Hazard Category 1, 2

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
Acute Tox 3	Acute toxicity (oral), Hazard Category 3

Explanation of returns

ATE	Acute Toxicity Estimate
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AND	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CEN	European Committee for Standardisation
C&L	Classification and Labelling
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
CAS#	Chemical Abstracts Service number
CMR	Carcinogen, Mutagen, or Reproductive Toxicant
CSA	Chemical Safety Assessment
DNEL	Derived No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
ECHA	European Chemicals Agency
EC-Number	EINECS and ELINCS Number (see also EINECS and ELINCS)
EEC	European Economic Community
EINECS	European Inventory of Existing Commercial Substances
ELINCS	European List of notified Chemical Substances
GHS	Globally Harmonized System
IATA	International Air Transport Association
ICAO-TI	Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG	International Maritime Dangerous Goods
IMSBC	International Maritime Solid Bulk Cargoes
IUCLID	International Uniform Chemical Information Database
IUPAC	International Union for Pure Applied Chemistry
Know	octanol-water partition coefficient
LC50	Lethal Concentration to 50 % of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LoW	List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)
MSDS	Material Safety Data Sheet
OEL	Occupational Exposure Limit
PBT	Persistent, Bioaccumulative and Toxic substance
PEC	Predicted Effect Concentration
PNEC(s)	Predicted No Effect Concentration(s)
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STOT	Specific Target Organ Toxicity
(STOT) RE	Repeated Exposure
(STOT) SE	Single Exposure
SVHC	Substances of Very High Concern
UFI	Unique Formula Identifier
UN	United Nations
vPvB	Very Persistent and Very Bioaccumulative

Training
Prior to working with the product you should be familiar with safety rules for handling the chemicals, in particular take proper workplace training.

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.

Version: 2.0
Changes: updated in sections 1–16.